

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	29079	(authenticat\$4 authori\$9 logon login log-on log-in permission\$1 biometric\$1 fingerprint\$3) near3 (unit\$1 server\$1 host\$3 device\$1 system\$1 station\$1computer\$1 node\$1)	USPAT; IBM_TDB	OR	OFF	2007/03/22 07:32
L2	27925	(authenticat\$4 authori\$9 logon login log-on log-in permission\$1 biometric\$1 fingerprint\$3) near3 (unit\$1 device\$1 system\$1 engine\$1 computer\$1 node\$1)	USPAT; IBM_TDB	OR	OFF	2007/03/22 07:32
L3	14440	(authenticat\$4 authori\$9 logon login log-on log-in permission\$1 biometric\$1 fingerprint\$3) near3 (code\$1 pin number\$1)	USPAT; IBM_TDB	OR	OFF	2007/03/22 07:32
L4	31154	(authenticat\$4 authori\$9 logon login log-on log-in permission\$1 biometric\$1 fingerprint\$3) near3 (user\$1 person\$3 client\$1)	USPAT; IBM_TDB	OR	OFF	2007/03/22 07:32
L5	3117	L2 near3 (determin\$7 select\$8 appoint\$4 chos\$3 choos\$3 pick\$3 decid\$3 decision\$1 which)	USPAT; IBM_TDB	OR	OFF	2007/03/22 07:32
L6	1136	L5 and L3 and L4	USPAT; IBM_TDB	OR	OFF	2007/03/22 07:32
L7	302802	(predetermin\$7 determin\$6 pre-determin\$7 select\$3 decid\$4) near6 ((intermedia\$4 destination\$1 receiv\$3) near3 (unit\$1 device\$1 system\$1 engine\$1 computer\$1 node\$1) destination\$1 receiver\$1 recipient\$1 location\$1)	USPAT; IBM_TDB	OR	OFF	2007/03/22 07:32
L8	23913	(depend\$4 correspond\$3 base\$1 match\$3 accord\$3) near5 (((authenticat\$4 authori\$8 user\$2 client\$2 person\$3) near2 (information\$1 data\$1 id identi\$9 name\$1 address\$3)) username\$1 userid user-id\$9 user-name\$1)	USPAT; IBM_TDB	OR	OFF	2007/03/22 07:32
L9	10242	L7 and L8	USPAT; IBM_TDB	OR	OFF	2007/03/22 07:32
L10	86773	(authenticat\$4 authori\$9 access\$3) near3 (code\$1 pin number\$1)	USPAT; IBM_TDB	OR	OFF	2007/03/22 07:32
L11	3815	L9 and L10	USPAT; IBM_TDB	OR	OFF	2007/03/22 07:32

EAST Search History

L12	111221	(predetermin\$7 determin\$6 pre-determin\$7 select\$3 decid\$4) near6 ((intermedia\$4 destination\$1 receiv\$3) near3 (unit\$1 device\$1 system\$1 engine\$1 computer\$1 node\$1) host\$1 server\$1)	USPAT; IBM_TDB	OR	OFF	2007/03/22 07:32
L13	9679	(send\$3 deliver\$3 transmit\$4 transmission\$1 sent communicat\$4) near3 (biometric\$1 fingerprint\$1 ((user client\$1 person\$3) near2 (id identi\$9 name\$1 address\$3)) username\$1)	USPAT; IBM_TDB	OR	OFF	2007/03/22 07:32
L14	16806	((705/53) or (705/67) or (705/72) or (705/75) or (705/78) or (705/77) or (370/312) or (370/329) or (370/335) or (370/341) or (370/351) or (725/27) or (725/30) or (725/54) or (725/62-63) or (725/81) or (380/229) or (380/232) or (380/241) or (709/200) or (709/203) or (709/202) or (713/168) or (709/225) or (709/238) or (726/2-5) or (726/12) or (726/15) or (726/17) or (726/21) or (726/27) or (726/28) or (726/29) or (348/14.02) or (455/3.01) or (455/3.02) or (455/3.04) or (455/132)).CCLS.	USPAT; IBM_TDB	OR	OFF	2007/03/22 07:32
L15	618	L14 and (back near2 (channel\$1 link\$1 path\$1))	USPAT; IBM_TDB	OR	OFF	2007/03/22 07:32
L16	1920	L14 and (wireless near2 (channel\$1 link\$1 path\$1))	USPAT; IBM_TDB	OR	OFF	2007/03/22 07:32
L17	107	L16 and L15	USPAT; IBM_TDB	OR	OFF	2007/03/22 07:32
L18	2154	L12 with (biometric\$1 fingerprint\$1 ((user client\$1 person\$3) near2 (id identi\$9 name\$1 address\$3)) username\$1)	USPAT; IBM_TDB	OR	OFF	2007/03/22 07:32
L19	9438	L2 and L12	USPAT; IBM_TDB	OR	OFF	2007/03/22 07:32
L20	3069	L19 and L3	USPAT; IBM_TDB	OR	OFF	2007/03/22 07:32
L21	803	L13 and L20	USPAT; IBM_TDB	OR	OFF	2007/03/22 07:32
L22	523	L6 and L12	USPAT; IBM_TDB	OR	OFF	2007/03/22 07:32

EAST Search History

L23	12783	(send\$3 deliver\$3 transmit\$4 transmission\$1 sent communicat\$4) near5 (biometric\$1 fingerprint\$1 ((user client\$1 person\$3) near2 (id identi\$9 name\$1 address\$3)) username\$1)	USPAT; IBM_TDB	OR	OFF	2007/03/22 07:32
L24	20	L17 and L23	USPAT; IBM_TDB	OR	OFF	2007/03/22 07:32
L25	163839	((authenticat\$4 authori\$8 user\$2 client\$2 person\$3) near2 (information\$1 data\$1 id identi\$9 name\$1 address\$3)) username\$1 userid user-id\$9 user-name\$1	USPAT; IBM_TDB	OR	OFF	2007/03/22 07:32
L26	3815	L11 and L25	USPAT; IBM_TDB	OR	OFF	2007/03/22 07:32
L27	183	L22 and L13	USPAT; IBM_TDB	OR	OFF	2007/03/22 07:32
L28	121	L21 and ((second\$4 another\$1) near3 (channel\$1 path\$1 link\$1))	USPAT; IBM_TDB	OR	OFF	2007/03/22 07:32
L29	112523	(authenticat\$4 authori\$9 access\$3) near6 (code\$1 pin number\$1)	USPAT; IBM_TDB	OR	OFF	2007/03/22 07:32
L30	70521	(predetermin\$7 determin\$6 pre-determin\$7 select\$3 decid\$4 which) near6 ((destination\$1 receiv\$3 third) near3 (unit\$1 device\$1 system\$1 computer\$1 node\$1 station\$1))	USPAT; IBM_TDB	OR	OFF	2007/03/22 07:32
L31	494	L14 and L30 and L1 and L29	USPAT; IBM_TDB	OR	OFF	2007/03/22 07:32
L32	402	L25 with (wireless near2 (channel\$1 link\$1 path\$1))	USPAT; IBM_TDB	OR	OFF	2007/03/22 07:32
L33	3130	L25 with (wireless near5 (communication\$1 system\$1 network\$1 computer\$1 channel\$1 link\$1 path\$1))	USPAT; IBM_TDB	OR	OFF	2007/03/22 07:32
L34	1059	L29 with ((another second\$3 multipl\$7 plural\$7) adj3 (channel\$1 link\$1 path\$1))	USPAT; IBM_TDB	OR	OFF	2007/03/22 07:32
L35	102193	(predetermin\$7 determin\$6 pre-determin\$7 select\$3 decid\$4) near6 ((second\$3 another other third destination\$1 receiv\$3) near3 (unit\$1 device\$1 system\$1 computer\$1 node\$1))	USPAT; IBM_TDB	OR	OFF	2007/03/22 07:32

EAST Search History

L36	29987	(authenticat\$4 authori\$9 permission\$1 biometric\$1 fingerprint\$3) near3 (unit\$1 server\$1 host\$3 device\$1 system\$1 station\$1 computer\$1 node\$1)	USPAT; IBM_TDB	OR	OFF	2007/03/22 07:32
L37	1175	L26 and ((alternat\$3 another second\$3 multipl\$7 plural\$7) adj3 (channel\$1 link\$1 path\$1))	USPAT; IBM_TDB	OR	OFF	2007/03/22 07:32
L38	648	L26 and (wireless\$2 adj3 (channel\$1 link\$1 path\$1))	USPAT; IBM_TDB	OR	OFF	2007/03/22 07:32
L39	320	L38 and (((authenticat\$4 authori\$9) near3 (unit\$1 server\$1 host\$3 device\$1 system\$1 station\$1 computer\$1 node\$1)) authenticator\$1)	USPAT; IBM_TDB	OR	OFF	2007/03/22 07:32
L40	13	L27 and ((second\$4 another\$1) near3 (channel\$1 path\$1 link\$1))	USPAT; IBM_TDB	OR	OFF	2007/03/22 07:32
L41	23	L28 and L18	USPAT; IBM_TDB	OR	OFF	2007/03/22 07:32

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	464	(retransmit\$4 re-transmit\$4 retransmission\$1 re-transmission\$1 resen\$4 re-sen\$4 redeliver\$4 re-deliver\$4 return\$3) near5 (auth\$1 authentic\$6 authori\$8 verif\$9) near4 code\$1	USPAT; IBM_TDB	OR	OFF	2007/03/22 09:24
L2	32687	(auth\$1 authentic\$6 authori\$8 verif\$9) near4 (user\$1 client\$1 person\$1)	USPAT; IBM_TDB	OR	OFF	2007/03/22 08:02
L3	58196	(auth\$1 authentic\$6 authori\$8 verif\$9) near4 (unit\$1 system\$1 center\$1 computer\$1 device\$1 node\$1 workstation\$1 station\$1 network\$1)	USPAT; IBM_TDB	OR	OFF	2007/03/22 08:03
L4	322	l1 and l2	USPAT; IBM_TDB	OR	OFF	2007/03/22 08:03
L5	290	l3 and l4	USPAT; IBM_TDB	OR	OFF	2007/03/22 08:22
L6	316793	(second\$4 another\$1 other\$1 multipl\$7 plural\$7 many\$1 two third three) adj3 (channel\$1 path\$2 link\$1)	USPAT; IBM_TDB	OR	OFF	2007/03/22 08:05
L7	118	l5 and l6	USPAT; IBM_TDB	OR	OFF	2007/03/22 09:12
L8	9848	(transparent\$1) near3 (user\$1 client\$1 person\$1)	USPAT; IBM_TDB	OR	OFF	2007/03/22 08:06
L9	11	l7 and l8	USPAT; IBM_TDB	OR	OFF	2007/03/22 08:06
L10	14471	(auth\$1 authentic\$6 authori\$8 verif\$9) adj3 (code\$1 number\$1)	USPAT; IBM_TDB	OR	OFF	2007/03/22 08:19
L11	2161	(receiv\$3 accept\$5 obtain\$3) near5 l10	USPAT; IBM_TDB	OR	OFF	2007/03/22 09:12
L12	21	l6 near8 l10	USPAT; IBM_TDB	OR	OFF	2007/03/22 08:22
L13	40	l6 with l10	USPAT; IBM_TDB	OR	OFF	2007/03/22 08:22
L14	19	l11 and l13	USPAT; IBM_TDB	OR	OFF	2007/03/22 08:22
L15	15	l3 and l14	USPAT; IBM_TDB	OR	OFF	2007/03/22 08:22
L16	216	(receive\$1 receiving accept\$5 obtain\$3) near7 l10 near8 (destination\$1 receiver\$1)	USPAT; IBM_TDB	OR	OFF	2007/03/22 09:10
L17	4	l8 and l16	USPAT; IBM_TDB	OR	OFF	2007/03/22 09:10
L18	2286	l8 and l6	USPAT; IBM_TDB	OR	OFF	2007/03/22 09:12

EAST Search History

L19	2256	(receiv\$3 accept\$5 obtain\$3 destination\$1) near\$5 l10	USPAT; IBM_TDB	OR	OFF	2007/03/22 09:21
L20	14	l18 and l19	USPAT; IBM_TDB	OR	OFF	2007/03/22 09:14
L21	14	l20 and l10	USPAT; IBM_TDB	OR	OFF	2007/03/22 09:23
L22	125	(receiv\$3 accept\$5 obtain\$3) with l10 with (destination\$1 recipient\$1 intermediate\$1)	USPAT; IBM_TDB	OR	OFF	2007/03/22 09:23
L23	90	l22 and l3	USPAT; IBM_TDB	OR	OFF	2007/03/22 09:26
L24	38	(retransmit\$4 re-transmit\$4 retransmission\$1 re-transmission\$1 resen\$4 re-sen\$4 redeliver\$4 re-deliver\$4 return\$3) with l10 with (sender\$1 (first\$1 near\$2 unit\$1) host\$3 server\$1)	USPAT; IBM_TDB	OR	OFF	2007/03/22 09:25
L25	526	(retransmit\$4 re-transmit\$4 retransmission\$1 re-transmission\$1 resen\$4 re-sen\$4 redeliver\$4 re-deliver\$4 return\$3 transmit\$6 transmission\$1 deliver\$5 send\$3 sent communicat\$4) with l10 with (sender\$1 (first\$1 near\$2 unit\$1) host\$3 server\$1)	USPAT; IBM_TDB	OR	OFF	2007/03/22 09:25
L26	24	l23 and l25	USPAT; IBM_TDB	OR	OFF	2007/03/22 09:26